

CONTRIBUCIONES A LA FLORA VASCULAR DE ANDALUCÍA (ESPAÑA) (72-79)

72. NOTES OF ORCHIDS FROM ANDALUCÍA. II

Michael R. LOWE & Ian PHILLIPS

Notas de Orquídeas de Andalucía II.

Palabras clave. *Orchidaceae*, Andalucía, España.

Key Words. *Orchidaceae*, Andalucía, Spain.

As a result of recent field investigations throughout Andalucía, reports are presented of new Provincial records and significant extensions of the known distribution of various orchid species. Some citations are based on the personal observations of the authors. Voucher specimens are conserved at ABH (Universidad de Alicante) and in some cases slides or photographs are available as a testimony (marked P).

Cephalanthera rubra (L.) Rich.

MÁLAGA: Ojén, Cortijo de Juanar, 30SUF3148, 900 m, 04-V-2000 (P). JAÉN: Valdepeñas de Jaén, Arroyo Cabañeros, 30SVG2657, 1195 m, 10-VI-2001.

Second report for the Province of Málaga, first reported by Ackermann & Ackermann (1992). First report for the south-west area of Jaén.

Epipactis lusitanica D. Tytcea

*CÁDIZ: Tarifa, El Cuartón, Sierra del Cabrito, 30STE7194, 380 m, 07-V-2001. El Bosque, Río El Bosque, 30STF7772, 300 m, 10-V-2001 (ABH 45048). MÁLAGA: Algatocín, 1k E Algatocín, 30STF9750, 550 m, 12-V-2001 (P). Ronda, Los Alcornocales, 30STF9572, 795 m, 11-V-2001 (ABH 45047). Jubrique, 3k ESE Jubrique, 30SUF0447, 780 m, 12-V-2001 (P).

Previously reported from the Provinces

of Huelva (Tytéca, 1997), Sevilla (Lowe, 2000) and Málaga (Claessens *et al.*, 2000). *Epipactis lusitanica* has a more restricted distribution than *E. tremolsii*, usually occurring at the margins of cork oak, but also under pine and sweet chestnut. In Cádiz and Málaga, both *E. lusitanica* and *E. tremolsii* sometimes occur in mixed colonies, with some intermediate specimens which are likely to be hybrids.

Epipactis microphylla Sw.

JAÉN: Valdepeñas de Jaén, Arroyo Cabañeros, 30SVG2657, 1195 m, 10-VI-2001.

First report for the south-west area of Jaén.

Epipactis tremolsii Pau

JAÉN: Segura de la Sierra, El Yelmo, 30SWH2933, 1650 m, 13-VI-2001.

First report for the Sierra de Segura. Some previous reports of *E. helleborine* and *E. atrorubens* from Andalucía have been attributed to *E. tremolsii* (Lowe, 2001).

Limodorum trabutianum Batt.

HUELVA: Jabugo, N of Jabugo, 29SPC9900, 610 m, 09-V-2001 (ABH 45050).

*SEVILLA: Constantina, NNW Constantina, Sierra Norte, 30STG6898, 610 m, 01-V-2000 (ABH 43168). *JAÉN: Valdepeñas de Jaén, Arroyo Cabañeros, 30SVG2657, 1195 m, 10-VI-2001.

Whilst quite frequent in the south-western part of the Province of Málaga (Lowe, 1998 & Benito Ayuso & Tabuenca Marraco, 2000), *L. trabutianum* is extremely rare elsewhere in Andalucía and throughout Spain.

Ophrys castellana J. Devillers-Terschuren &

P. Devillers

JAÉN: Orcera, Tornajos, 30SWH3539, 1335 m, 13-VI-2001 (P). Siles, campamento Acebeas, 30SWH3742, 1280 m, 13-VI-2001.

First described by Devillers-Terschuren & Devillers (1988) from Cuenca, the known

distribution was extended further north and to the south by Delforge (1994) and Benito Ayuso & Tabuenca Marraco (2000).

Ophrys dyris Maire x *O. fusca* Link [*O. brigittae* H. Baumann]

*MÁLAGA: Alharín El Grande, Sa. de Mijas, La Moraleda, 30SUF5155, 540 m, 05-IV-2001 (P).

Described from the Sierra de Arrabida, Portugal by H. Baumann in Baumann & Dafni (1981). First report for Spain.

Ophrys vernixia Brot.

*MÁLAGA: Cuevas de San Marcos, nr. Central Eléctrica, 30SUG7626, 440 m, 22-IV-2001 (P). CÓRDOBA: Benamejí, El Portachuelo, 30SUG6424, 380 m, 29-IV-2000.

Reported from Córdoba and Jaén by Buttler (1983) and from Córdoba by Silvestre (1983) as *O. speculum* subsp. *lusitanica*.

Orchis champagneuxii Barnéoud x *O. papilionacea* L. [*O. subpapilionacea* (R. Lopes) D. Tytéca]

*MÁLAGA: Alhaurín El Grande, Sa. de Mijas, La Moraleda, 30SUF5056, 430 m, 06-IV-1999 (P). JAÉN: La Carolina, 3k WNW Carolina, 30SVH4338, 435 m, 29-IV-1999 (P).

Described from Portugal by Lopes (1981) and Tytéca (1986) and previously reported from the Province of Jaén; Santa Elena (Nieschalk & Nieschalk, 1972) and Despeñaperros (Bodegom, 1976).

Orchis olbiensis Reut. ex Gren.

*HUELVA: Linares de la Sierra, NNE Linares de la Sierra, 29SQB0996, 580 m, 02-IV-1999.

Serapias cordigera L.

HUELVA: Cortelazor, N Cortelazor, 29SQC0802, 450 m, 09-V-2001 (P).

Second report for the Province, first record by Tytéca (1997).

***Serapias parviflora* Parl.**

JAÉN: Los Villares, Sierra de la Pandera, 30SVG2868, 1040 m, 10-VI-2001.

Third report for the Province of Jaén (Fernández López *et al.*, 1995 & Hervás-Serrano & Fernández López, 1995) and the first report for the south-west of the province.

BIBLIOGRAPHY

- ACKERMANN, M. & M. ACKERMANN -1992- Einige Orchideenfunde aus Südspanien. *Ber. Arbeitskr. Heim. Orch.* 9(2): 64-69.
- BAUMANN H. & A. DAFNI-1981- Differenzierung und Arealform des *Ophrys omegaifera*-Komplexes im Mittelmeergebiet. *Beih. Veröff. Naturschutz Landschaftspflege Bad.-Württ.* 19: 129-153.
- BENITO AYUSO, J. y J. M. TABUENCA MARRACO -2000- Apuntes sobre orquídeas (principalmente del Sistema Ibérico). *Est. Mus. Cienc. Nat. de Alava* 15: 103-126.
- BODEGOM, J. -1976- Orchideen in Spanje VI. *Orchideeen* 38: 220-221.
- BUTTLER, K. P. -1983- Die *Ophrys-ciliata* (*speculum*)-Gruppe, eine Neubewertung (*Orchidaceae: Orchideae*). *Jahresber. Naturwiss. Ver. Wuppertal* 36: 37-57.
- CLAESSENS, J., J. KLEYNEN & J. REINHARDT -2000- Some notes on the Genus *Epipactis*. *Eurorchis* 12: 75-83, 97.
- DELFORGE, P. -1994- Remarques sur quelques espèces d'*Ophrys* parfois arachnitiformes et nouvelles données sur la distribution d'*Ophrys castellana* J. & P. Devillers-Terschuren en Espagne (*Orchidaceae*). *Natural. belges* 75 (Orchid 7): 171-186.
- DEVILLERS-TERSCHUREN J. & P. DEVILLERS -1988- Les *Ophrys* «arachnitiformes» du bassin méditerranéen occidental. *Natural. belges* 69 (Orchid 2): 98-112.
- FERNÁNDEZ LÓPEZ, C., J. L. HERVÁS SERRANO, J. & C. FERNÁNDEZ GARCÍA-ROJO -1995- Fragmenta Chorologica Occidentalia, 5299-5314. *Anales Jard. Bot. Madrid* 52: 207.
- HERVÁS-SERRANO, J. L. y C. FERNÁNDEZ-LÓPEZ -1995- Distribución de algunas *Orchidaceae* en la provincia de Jaén. *Blancoana* 12: 82-83.
- LOPES, M. H. R. -1981- Notas sobre algumas orquidáceas da Flora portuguesa. *Bol. Soc. Brot.*, Sér. 2, 54: 305-308.
- LOWE, M. R. -1998- The Orchids of the Province of Málaga, Spain. *Jour. Eur. Orch.* 30: 501-570.
- LOWE, M. R. -2000- Notes of Orchids from Andalusia, Spain. *Acta Bot. Malacitana* 25: 243-247.
- LOWE, M. R. -2001- The Genus *Epipactis* in Andalucía (Spain). *Eurorchis* 13: 83-94.
- NIESCHALK, A. & C. NIESCHALK -1972- Beiträge zu einigen Arten der Gattung *Orchis* in Spanien. *Jahresber. Naturwiss. Ver. Wuppertal* 25: 114-121.
- SILVESTRE, S. -1983- Notas taxonómicas y corológicas sobre la flora de Andalucía Occidental. 88-91. *Lagascalia* 11: 115-117.
- TYTECA, D. -1986- Orchidées du Portugal - 9. Quelques espèces et hybrides d'*Orchis*. *L'Orchidophile* 17(70): 996-1000.
- TYTECA, D. -1997- The Orchid Flora of Portugal. *Jour. Eur. Orch.* 29: 185-581.

Aceptado para su publicación en septiembre de 2001

Address of authors. M. R. LOWE, School House, 17, The Village, Brancepeth, Durham DH7 8DG United Kingdom. e-mail: MichaelRLowe@orchid.freeserve.co.uk. I. PHILLIPS, Calle Cabello 7, Málaga 29012. España. e-mail: iphillips@attglobal.net.